INDEX TO VOLUME VI

New scientific names are printed in full-faced type.

Abies, amablis, 369; concolor, 413; grandis, 370, 413; lasiocarpa, 373, 414
Acrostalagmus, 92
ADAMS, J. F., A Gloeosporium on horse-chestnut shoots (abstract), 114
Aecidium, Allenii, 99; Liatridis, 99; Phaceliae, 99; Onosmodii, 99; roestelioides, 99
Aesculus, 6; californica, 115; glabra, 5; hippocastanum, 5, 93, 109, 114; parviflora, 5
Agropyron, caninum, 99; cristatum, 99; imbricatum, 100; occidentale, 99; repens, 100; Smithii, 98, 341; tenerum, 99
Alfalfa, Pleosphaerulina on, 299; Phyllosticta on, 102; white spot, 91; violet root-rot, 90
Alhagi camelorum, 195
ALLARD, H. A., The mosaic disease of tomatoes and petunias, 328–335
Alternaria, 51, 243
Ambrosia artemisiaefolia, 108
American Phytopathological Society, abstracts of papers presented at seventh annual meeting, 95–119; Report of seventh annual meeting, 209–218; Riverside meeting of the Pacific Division, 307–310
Amoeba **cucumeris,** 294
Angular leaf spot, cucumbers, 105
Anthoxanthum odoratum, 100
Anthracnose, on cucumbers, 105; horse-chestnut, 93
Aphis gossypii, 146, 149
Aplanobacter **Agropyri,** 343; rathayi, 99
APPEL, OTTO, International Phytopathology, 54–63
Apple, black root-rot, 110; blister spot, 110; fire-blight, 115, 291, 401; fruit spot, 51; Phytophthora rot, 89, 110; red bug, 156; root-rot in Virginia, 159; rust, 79; scab, 118; scald, 110
Arnica cordifolia, 68
ARTHUR, J. C., Relationship of the genus Kuehneola (abstract), 100
Artificial cultures, of Rhizoctonia crocorum, 336
Arsenate of lead, as a fungicide for apple scab, 118
Ascochyta, Lycopersici, 104, 365; Pisi, 103; Ribis, 420
Aspergillus, 250; fumigatus, 247, 250; niger, 241, 246; ochraceus, 246; venetus, 247, 250
Aster, 68; adscendens, 66; chilensis, 66; conspicuus, 64; eatoni, 66; foliaceus, 66; hesperius, 66, 68; laevis geyeri, 66, 68; lindleyanus, 66; occidentalis, 67; radulinus, 66
Autochrome plates, reproduction of, 306
Avena, elatior, 100; fatua, 100
Avocado, Pythiacystis on, 433

BABCOCK, D. C., see WALTON, R. C.
Bacillus, amylovorus, 89, 113, 115, 153, 289, 293, 400; burgeri, 294; coli communis, 295; Petroselini, 293; phytophthorus, 293; solanacearum, 164; tracheiphilus, 105; typhi abdominalis, 295
Bacterial wilt, on Ambrosia, 108; Eclipta, 108; nasturtium, 108; tobacco, 108; tomato, 108
Bacterium, beticola, 294; solanacearum, 108, tumefaciens, 186
Baldwin fruit spot, 51
Bamboo, smut in America, 351
Banana, Panama disease of, 383
Bark diseases, of citrus, 29
Barley, bacterial disease of, 98; control of diseases of, 98; Septoria on, 117
BARRUS, MORTIER F., Observations on the pathological morphology of stinking smut of wheat (article), 21–28; (abstract), 99

BARTRAM, H. E., A study of the brown rot fungus in northern Vermont, 71–78
Basisporium, 247
Bean, Neocosmospora vasinfecta on adzuki, 301; root diseases, 104; Sclerotinia libertiana on snap, 436
BEATTIE, R. KENT, Pathological quarantines in 1915 (abstract), 95; The potato powdery scab quarantine (abstract), 95
BECKWITH, Miss A. M., see SHEAR, C. L.
BERG, ANTHONY, see GIDDINGS, N. J.
BETHEL, ELLSWORTH, Culture work on the heteroecious rusts of Colorado (abstract), 99
Bitter pit, 51; investigations (review), 295
Blight, of chestnut, 302; citrus, 30; potatoes, 107
Blister spot, of apple, 110
BLODGETT, FREDERICK, H., Relation between storm and disease, August and September, 1915, in Texas (abstract), 100
Blossom-end-rot, of tomatoes, 364
Botryosphaeria, berengeriana, 387; Ribis, 387
Botrytis, 364; cinerea, 113, 264
BOYCE, J. S., A note on Cronartium pyriforme, 202; Pycnia of Cronartium pyriforme, 446; Spore variation in Neopeckia coulteri, 357–359
BRANN, J. W., Steaming of soil for the control of root rot of ginseng (abstract), 101
Bromus, marginatus, 97; tectorum, 99
BROOKS, CHARLES, Bitter pit investigation. D. McALPINE (review), 295–298; and COOLEY, J. S., Apple scald (abstract), 110; Temperature relations of apple rot fungi (abstract), 111; and FISHER, D. F., Irrigation and bitter pit (abstract), 111
Brown bloteh, of pear, 111
BURKHOLDER, W. H., Some root diseases of the bean (abstract), 104
BURNS, G. P., Tip-burn in white pine (abstract), 116
Canker, citrus, 31
Campanula, carpatica, 202; medium, 202; nobilis, 202; persicifolia, 202
CARPENTER, C. W., The Rio Grande lettuce disease, 303
CARSNER, EUBANKS, Angular leaf spot, a bacterial disease of cucumbers (abstract), 105
Carya illinoensis, 389
Castanea dentata, 204
Castanopsis chrysophylla, 226
Castilleja, 68; miniata, 68
Celluloid cylinders, for inoculation chambers, 447
Cephalothecium, 243
Cercis canadensis, 109
Cercospora, angulata, 420; Medicaginis, 301
Cercosporella Lini, 195
CHARLES, VERA K., see PATTERSON, FLORA W.
Cherry, leaf spot, 112
Chestnut, blight in Pennsylvania, 302; recovery from a lightning stroke, 204
Chrysomyxa Rhododendri, 231
Cintractia Bambusae, 353
Citrus, 29, 127; aurantium var. amara, 31, 127; bark diseases of, 29; canker, 96, 114; decumana, 302, var. Pomelo, 31, 127; medica var. acida, 31; var. genuina, 127; var. Lemon, 31, 127; Sclerotium rolfsii, 302; sour scab, 30, 127, 442
Cladosporium, 135, 443; carpophilum, 206; Citri, 127, 135, 443; cucumerinum, 105; herbarum, 246, 443
Clover, leaf spot of bur, 301
Coccomyces hiemalis, 112, 113
Coconut, diseases of, 383
Coleosporium, 64; Solidaginis, 64, 68; wintering of, 371
Colletotrichum, 93, 243; lagenarium, 105
COLLINS, J. FRANKLIN, Cutting and trimming small blocks of wood, 200; Marking laboratory apparatus, 198; Marking trees in the field, 199; Polishing sections of wood, 201
Columbine, wilt of, 101, 254
Comandra umbellata, 446

COOK, MEL T., and LINT, H. CLAY, Field studies on the Rhizoctonia of the potato (abstract), 106; and SCHWARZE, C. A., Two interesting diseases on greenhouse tomatoes (abstract), 104; (article), 364–366
COOKE, MORDECAI CUBITT, Biography of, 1
COOLEY, J. S., see BROOKS, CHARLES
Coreopsis verticillata, 64
Corticium vagum var. Solani, 243
Cottony rot, of lemons, 268
CRABILL, C. H., Note on apple root-rot in Virginia, 159–161; Note on the white spot of alfalfa, 91–93; and THOMAS, H. E., Stippen and spray injury, 51–54
Crataegus, 109
CROMWELL, R. O., see FULTON, H. R.
Cronartium, 99; cerebrum, 226; pyriforme, 202, 446; quercus, 411; Quercuum, 225; ribicola, 114, 182
Cucumber, diseases in the middle west, 104; mosaic disease, 143, 145, 148
Currants, white pine blister rust on, 182
Cylindrosporium, 112; Pomi, 51

Dactylis glomerata, 99, 100, 341
Delphinium, 254
Dianthus plumarius, 202
Dieback of citrus trees, 30
DIEHL, WILLIAM W., Notes on an artificial culture of Rhizoctonia crocorum, 336–340
Diplodia natalensis, 118
DOOLITTLE, S. P., A new infectious mosaic disease of cucumber (abstract), 105; (article), 145–147
Downy mildew, on cucumbers, 105
Dracocephalum arganese, 202
Dutch bulb disease, on tulips, 96

Echinocystis lobata, 145
Eclipta alba, 108
EDGERTON, C. W., A new method of testing for wilt resistance and for selecting wilt resistant strains of tomato (abstract), 102
Elephantopus tomentosus, 64
Elodea densa, 195
Elymus, canadensis, 97, 99; robustus, 99; virginicus, 99
Empoasca mali, 152
Endothia parasitica, 205
Epilobium angustifolium, 373
Erigeron glabellus, 202
Eupatorium ageratoides, 202
Exobasidium Citri, 195

FAWCETT, HOWARD S., A Phythiacystis on avocado trees, 433–435; Citrus scab, 442–445
Festuca elatior, 100
Fire blight, 400; on apples, 115, 291; cherries, 115; peach, 115, 291; pear, 115, 288; prune, 115, 291; rôle of insects in dissemination of, 152
Firs, Phacidium infestans on, 413
FISHER, D. F., see BROOKS, CHARLES
Flax, infection of, by Fusarium Lini, 412
Flies, white, as carriers of a Melanconium on tomato, 394
Foot-rot, of Citrus, 30
FROMME, F. D., Facultative heteroecism (?) of Peridermium harknessii and Cronartium quercus, 411; Violet root rot of alfalfa in Virginia, 90
FULTON, H. R., and CROMWELL, R. O., Black root-rot of apple (abstract), 110; and STANFORD, E. E., Two wild hosts of Bacterium solanacearum (abstract), 108
Fusarium, 56, 92, 104, 243, 301, 321, 337; cabbage resistant to, 102; eumartii, 321; Lini, 412; of potato, 106; oxysporum, 243, 321; radicicola, 111, 247; Solani, 246; trichothecioides, 321

GIDDINGS, N. J., and BERG, ANTHONY, New or noteworthy facts concerning apple rust, 79–80
GILBERT, W. W., Cucumber diseases in the middle west (abstract), 104; Cucumber mosaic disease, 143–144
Ginseng, root rot of, 101
Gladiolus, hard rot disease of, 101
Gloeosporium, carpigenum, 115; lindemuthianum, 58; malicorticis, 115; on horse-chestnut shoots, 114; phomoides, 116

Glomerella cingulata, 93, 115
GODFREY, G. H., Preliminary notes on an heretofore unreported leaf disease of rice (abstract), 97
Gooseberries, white pine blister rust on, 182
GOSSARD, H. A., and WALTON, R. C., Bacillus amylovorus in honey and in honeydew (abstract), 113
Grain aphis, dissemination of blight bacteria, 157
Grapefruit, Sclerotium rolfsii on, 302
GROSSENBACHER, J. G., Some bark diseases of citrus trees in Florida, 29–50; Sour scab of citrus in Florida, and its prevention, 127–142
Guignardia, 9; **Aesculi,** 9, 113; bidwellii, 8
Gummosis, on citrus trees, 31; with reference to plum wilt, 118
GÜSSOW, H. T., Leaf roll in tomatoes, 447; MORDECAI CUBITT COOKE, 1
Gymnosporangium, Juniperi-virginianae, 79; nidus-avis, 231

Hard rot, of gladiolus, 101
HARTER, L. L., Rhizoctonia and Sclerotium rolfsii on sweet potatoes, 305
HARTLEY, CARL, see PIERCE, ROY G.
HASKELL, R. J., A Fusarium tuber and stem rot of potato (abstract), 106; Potato wilt and tuber rot caused by Fusarium eumartii, 321–327
HEDGCOCK, GEORGE GRANT, Identity of Peridermium montanum with Peridermium acicolum, 64–67; The genus Phoradendron. WILLIAM TRELEASE (review), 409–410
Helianthus divaricatus, 64
Helminthosporium, 195, 243; gramineum, 98
Herpotrichia nigra, 357; quinqueseptata, 359
Heterocordylus malinus, 156
HIGGINS, B. B., Further studies of plum-wilt (abstract), 117; Gummosis with special reference to plum wilt (abstract), 118
Holcus lanatus, 100
Hordeum, jubatum, 99; murinum, 97; spartinum, 99; vulgare, 97
Horse-chestnut, leaf blotch of, 5
HOTSON, J. W., Longevity of Bacillus amylovorus (abstract), 115; (article), 400–408; Observations on fire blight in the Yakima Valley (abstract), 115, (article), 288–292
HOWITT, J. E., and MCCUBBIN, W. A., An outbreak of white pine blister rust in Ontario, 182–185; and STONE, R. E., A troublesome disease of winter tomatoes, 162–166
HUBERT, ERNEST E., Celluloid cylinders for inoculation chambers, 447–450; see WEIR, JAMES R.
Humidity relations of fungi, a method for studying the, 428
HUMPHREY, H. B., and JOHNSON, A. G., Observations on the occurrence of Puccinia glumarum in the United States (abstract), 96
Hydnum, 160
Hydrocyanic acid gas, effect on tomatoes, 166
Hystrix patula, 99

Inoculation experiments, Peridermium montanum, 68; tomatoes, 165
International Phytopathology, 54
Ipomoea batatas, 251

JACKSON, H. S., Inoculation studies with Neofabraea malicorticis (abstract), 115
JAGGER, I. C., Experiments with the cucumber mosaic disease (abstract), 105; (article), 148–151
JOHNSON, A. G., Further results in controlling certain barley diseases by seed treatments (abstract), 98; Septoria on barley (abstract), 117; see HUMPHREY, H. B., see JONES, L. R.
JOHNSON, JAMES, Second progress report on disease resistance in tobacco (abstract), 117; (article), 167–181
JOHNSTON, JOHN R., Phytopathological work in the tropics, 381–386
Jonathan spot, 51
JONES, FRED R., A newly noted Phyllosticta on alfalfa in America, and its ascigerous stage (abstract), 102; Pleosphaerulina on alfalfa, 299

JONES, L. R., Fourth progress report on Fusarium resistant cabbage (abstract), 102; JOHNSON, A. G., and REDDY, C. S., A bacterial disease of barley (abstract), 98
Juglans cinerea, 109
Juniperus virginiana, 80

Keithia thujina, 360, 413
KEITT, G. W., A preliminary report on investigations of leaf spot of cherries and plums in Wisconsin (abstract), 112
KERN, F. D., and ORTON, C. R., Phytophthora infestans on tomatoes, 284–287
Koeleria cristata, 100

Laboratory apparatus, marking of, 198
Lactuca, sativa, 436; scariola, 272
Laestadia Aesculi, 9
Larix, europea, 372; occidentalis, 372
Lasiodiplodia theobromae, 118
Leaf blotch, of horse-chestnut, 5; Ohio buckeye, 5
Leaf roll, in tomatoes, 447
Leaf smut, of timothy, 103
Leaf spot, of alfalfa, 299; bur clover, 301; cherries, 112; plums, 112
Lemon, cottony rot of, 268; scab, 127, 442
LEONARD, M. D., see STEWART, V. B.
Lettuce, Rio Grande disease of, 303; Sclerotinia libertiana on, 436
Lightning, injury to chestnut, 204
LINT, H. CLAY, see COOK, MEL T.
Linum nervosum, 195
Liquidambar styraciflua, 109
Literature on American plant diseases, 120–126, 219–223, 311–319, 375–380, 415–418, 451–454
Lodgepole pine, Peridermium on, 68
Lolium, italicum, 100; perenne, 100
LUTMAN, B. F., The effect of bordeaux mixture on the potato plant (abstract), 108
Lycopersicon esculentum, 108
Lygidea mendax, 156
Lygus, invitus, 156; pratensis, 156
LYMAN, G. R., Some interesting finds in the phytopathological inspection service for 1915 (abstract), 96; The phytopathological inspection service of the United States Department of Agriculture (abstract), 96

Macrosporium Solani, 104, 365; Sydowianum, 112
MAINS, E. B., The wintering of Coleosporium Solidaginis, 371
MARTIN, G. W., Brown blotch of the pear (abstract), 111
MASSEY, L. M., Hard rot disease of gladiolus (abstract), 101
MATZ, J., A method to induce sporulation in Cultures of Botryosphæria berengeriana, 387–389
MCCLINTOCK, J. A., Sclerotinia libertiana on snap beans, 436–441
MCCUBBIN, W. A., see HOWITT, J. E.
Medicago, arabica, 301; hispida, 301; sativa, 104
MEINECKE, E. P., Peridermium harknessii and Cronartium Quercuum, 225–240
Melampsora bigelowii, 372
Melanconium, 116; parasitic on tomato, 390
Melanops, 109; Quercuum, 109
Melanose, on citrus trees, 30
MELHUS, I. E., Infection and resistance studies of Phytophthora infestans on the tomato (abstract), 107, and ROSENBAUM, J., Spongospora on the roots of the potato and on seven other new hosts (abstract), 108
METCALF, HAVEN, Spread of the chestnut blight in Pennsylvania, 302
Mistletoes, 409, 414
MIX, A. J., The formation of parenchyma wood following winter injury to the cambium, 279–283
Monilia, cinerea, 71; functigena, 71
MORSE, W. J., Arsenate of lead as a fungicide for apple scab (abstract), 118; and SHAPOVALOV, M., Seed and soil disinfectants for the Rhizoctonia disease of potatoes (abstract), 118
Mosaic, cucumber, 105, 143, 148; muskmelon, 145; petunias, 328; pumpkin, 145; squash, 145; tobacco, 328; tomatoes, 328; wild cucumber, 145

Mucor, microsporus, 242; mucedo, 241; racemosus, 246
MURPHY, PAUL A., The morphology and cytology of the sexual organs of Phytophthora erythroseptica (abstract), 107
Mycosphærella, **aurea**, 425; grossulariæ, 109, 419; pinodes, 103
Mycosphærellae, 9
Myxomonas Betæ, 294

Narcissus, Dutch bulb disease of, 96
Nasturtium, bacterial wilt or brown rot on, 108
NELSON, EDGAR, Eradication on a large scale (abstract), 114
Neocosmospora vasinfecta; on adzuki bean, 301; potato, 301
Neofabraea malicorticis, 115
Neopeckia coulteri, 357

OBERLY, MISS E. R., (compiler), Literature on American plant diseases, 120–126, 219–223, 311–319, 375–380; and SMITH, FLORENCE P., Literature on American plant diseases, 415–418, 451–454
O'GARA, P. J., A bacterial disease of western wheat-grass. Occurrence of a new type of bacterial disease in America (abstract), 98; (article), 341–350
Ohio buckeye, leaf blotch of, 5
Oospora scabies, 243
Orange, sour scab of, 131, 442
Orthocarpus, Cronartium on, 99
ORTON, C. R., Meteorology and late blight of potatoes (abstract), 107; Phytophthora infestans on tomatoes in Australia, 447; see KERN, F. D.
OSNER, GEO. A., Leaf smut of timothy (abstract), 103

Panama disease, of bananas, 383
Patellina, 259; **Fragariæ**, 113, 264
Pathological morphology, of stinking smut of wheat, 21
PATTERSON, FLORA W., and CHARLES, VERA K., The occurrence of bamboo smut in America, 351–356
Pavia macrostachya, 6
Peach, brown rot of, 206; fire blight on, 291; scab, 206; sulfur paste as a spray for, 206
Peanuts, Neocosmospora vasinfecta on, 301
Pear, brown blotch, 111; fire blight, 115, 152, 288, 401
PELTIER, GEO. L., Sclerotium rolfsii in Illinois, 201
Penicillium, expansum, 111; glaucum, 241; luteum, 247
Penstemon, murrayanus, 202; pubescens, 202
Petroselinum sativum, 293
Peridermium, acicolum, 64, 302, 371; balsameum, 369; bethelii, 65; cembra, 182; cerebrum, 226, 411; filamentosum, 236; fusiforme, 230; harknessii, 225, 411; montanum, 64, 68, 371; parviflora, 182; Pini, 232; pseudobalsameum, 370; pyriforme, 65
Peronoplasmopara cubensis, 105
Persea gratissima, 272
Pestalozzia funerea, 111
PETERSON, ALVAH, see STEVENS, F. L.
Petunias, mosaic disease of, 328
Phacidium infestans, on western conifers, 413
Phalaris canariensis, 100
Phaseolus angularis, 301; vulgaris, 104, 436
Phleospora Ribis, 420
Phlox subulata, 202
Phoma Pomi, 51
Phoradendron, flavescens, 409; The genus, (review), 409–410
Phyllostachys, bambusoides, 351; henonis, 351; puberula, 351; quilioi, 351
Phyllosticta, 102; Aesculi, 7; aesculicola, 7; aesculina, 7; Paviae, 6; paviaecola, 9; Medicaginis, 103; sphaeropsoidea, 7
Phytobacter lycopersicum, 294
Phytopathology, International, 55
Phytophora, cactorum, 89; erythroseptica, 107; infestans, 58, 107, 284, 447; omnivora, 89; on tomatoes, 447; rot of apples, 89
Picea engelmanni, 359
PIEMEISEL, F. J., see STAKMAN, E. C.

PIERCE, ROY G., Pinus resinosa, a new host for Peridermium acicolum, 302; and HARTLEY, CARL, Horse-chestnut anthracnose, 93
Pine, Cronartium pyriforme on, 202; Cronartium ribicola on, 114; needle rust on red, 303; Peridermium on lodgepole, 68; Phacidium infestans on, 413; western yellow, 446
Pinus albicaulis, 357; attenuata, 225; banksiana, 414; contorta, 64, 68, 225, 357, 371, 414; coulteri, 225; divaricata, 65; jeffreyi, 225, 357, 414; lambertiana, 357; montana, 357; monticola, 357; murrayana, 64, 229, 357; ponderosa, 203, 225, 357, 414, 446; pugens, 202, 371; radiata, 225, 411; resinosa, 302; rigida, 371; sabiniana, 225; sylvestris, 237; virginiana, 236
Pisum sativum, 104
Plagiognathus politus, 152
Plant diseases, of America, literature on, 120–126, 219–223, 311–319, 375–380, 415–418, 451–454
Plates, reproduction of autochrome, 306
Pleosphaerulina, briosiana, 300; on alfalfa, 299
Plum, gummosis with special reference to, 118; leaf spot, 112; wilt, 117, 118
Podosphaera oxyacanthae, 113
Point-rot, of tomatoes, 364
Pollenia rudis, 152
Pollinopsis Betae, 294
Potato, blight, 107; effect of bordeaux mixture on, 108; Neocosmospora vasinfecta on, 301; powdery scab quarantine, 95; Rhizoctonia of, 106, 118; wilt and tuber rot, 321
POTTER, ALDEN A., The control of experimental conditions in phytopathological research, 81–88
Powdery mildew, of wheat, 27
Powdery scab, quarantine, 95; on potatoes, 96
Primula, 359
Prunes, a root disease of, 368
Prunus, 117, 118, allegheniensis, 187; americana, 187; amygdalus, 187; andersonii, 187; armeniaca, 187, var. mikado, 187; avium, 187; besseyi, 187; caroliniana, 187; cerasifera, 187, var. planteriensis, 187; cerasus, 112; domestica, 187; eriogyna, 187; glandulosa, 187; hortulana, 187; ilicifolia, 187; insititia, 191; integrifolia, 187; mandschurica, 193; mune, 187; munsoniana, 187; nigra, 187; orthosepala, 187; pendula, 191; pennsylvanica, 187; persica, 187; platycarpa, 187; pumila, 187; resistance to artificial inoculation with Bacterium tumefaciens, 186; serotina, 187; simonii, 187; watsoni, 187
Pseudomonas Citri, 114
Pseudopeziza, Medicaginis, 299; Ribis, 113
Pseudotsuga taxifolia, 413
Psylla pyricola, 152
Puccinia, Agropyri, 99; amphigena, 99; Andropogonis, 99; coronata, 97; dispersa, 97; glumarum, 96; graminis, 97, 99, 371, graminis avenae, graminis hordei, graminis secalis, 100, graminis tritici, 99; Stipae, 99; triticina, 97
Pucciniastrum pustulatum, 99, 373
Pyrenochaeta elodeae, 195
Pyrenopeziza Medicaginis, 103
Pyrus malus, 109
Pythiacystis, citrophthora, 275, 434; on avocado trees, 433

Quarantines, in 1915, 95; potato powdery scab, 95
Quercus, 109; agrifolia, 226, 411; californica, 226; chrysolepis, 229; densiflora, 229; durata, 229, lobata, 229; rubra, 229

Ramularia magnusiana, 246
RANKIN, W. H., Eradication of Cronartium ribicola from European pine plantings in New York State (abstract), 114
Razoumofskya Americana, 414; campylopoda, 414
Red bug, carrier of fire-blight bacteria, 156
Red cedar, leaf disease of the western, 360
Red currants, white pine blister rust on, 182

Reddick, Donald, Reproduction of autochrome plates, 306; Sulfur paste as a spray for peaches, 206
Reddy, C. S., see Jones, L. R.
Rhizoctonia, crocorum, 90, 336; of potato, 106, 118; on sweet potatoes, 305
Rhizopus, 258; arrhizus, 242; nigricans, 106, 113, 246, 264
Rhodosticta onobrychidis, 195
Ribes, 114; aureum, 109, 423; bracteosum, 421; cynosbati, 183, 421; divaricata, 421; floridum, 183; grossularia, 183, 420; nigrum, 109, 183, 419; oxyacanthoides, 109; prostratum, 183, 421; rotundifolia, 421; rubrum, 109, 420; Septoria occurring on, 419; triste, 183; vulgare, 183
Rice, leaf disease of, 97
Rio Grande disease, of lettuce, 303
Robinia pseudacacia, 109
Root-rot, of alfalfa, 90; apple, 110, 159; ginseng, 101; tobacco, 167
Rose, D. H., Blister spot of apples (abstract), 110
Rosenbaum, J., see Melhus, I. E.; see Whetzel, H. H.
Rusts, 411; apple, 79; heteroecious, of Colorado, 99; on red pine, 303; white fir, 369; white pine blister, 182

Salix, bebbiana, 372; cordata mackenzieana, 372
Sapromyza bispina, 152
Sasa ramosa, 353
Scab, apple, 118; citrus, 442; cucumber, 105
Schmitz, Henry, Preliminary note on the occurrence of Peridermium balsameum in Washington, 369–371
Schneider, Albert, A parasitic saccharomycete of the tomato, 395–399
Schwarze, C. A., see Cook, Mel T.
Sclerotinia, cinerea, 71, 206; fructigena, 71; Juglandis, 275; libertiana, 102, 254, 268, on snap beans, 436; Trifoliorum, 275
Sclerotium rolfsii, 201; on citrus, 302; sweet potatoes, 305
Secale cereale, 97
Seed and soil disinfectants, for the Rhizoctonia disease of potatoes, 118
Semiclostridium commune, 295
Septoria, alhaginis, 195; aurea, 423, aurea var. destruens, 423; Gladioli, 101; graminum, 117; grossulariæ, 420; Ribis, 109, 113, 419
Shapovalov, M., Fungous parasites of the higher plants in Kharkov and adjacent provinces. A. A. Potebnia (review), 293; Journal of mycology and phytopathology of Russia. Edited by A. A. Jaczewski (review), 195; see Morse, W. J.
Shear, C. L., Report of the seventh annual meeting of the American Phytopathological Society, 209–218; and Beckwith, Miss A. M., Life histories of Melanops (abstract). 109
Siphocoryne avenae, 157
Smith, C. O., Cottony rot of lemons in California, 268–278; Preliminary studies on the resistance of Prunus to artificial inoculation with Bacterium tumefaciens, 186–194
Smith, Florence P., see Oberly, E. R.
Smut, on bamboo, 351; stinking, of wheat, 21
Snap beans, Sclerotinia libertiana on, 436
Soils, disinfectants for the Rhizoctonia disease of potatoes, 118; fungous flora of 241; temperature, 412
Solanum, ciliatum, 108; commersoni, 108; haemotocladum, 108; mammosum, 108; marginatum, 108; tuberosum, 251; warscewiczii, 108
Solidago, 371; californica, 66; canadensis, 64, 68; confinis, 66; glaberrima, 67; missouriensis, 67, 68; multiradiata, 64; oreophila, 66; multiradiata scopulorum, 67
Sour scab, of citrus trees in Florida, 30, 127, 442; grapefruit, 31, 128; lemon, 127, 442; orange, 130, 442
Sphærella grossulariæ, 109, 420
Sphæria, grossulariæ, 420; Ribis, 420
Sphæronæmella, cause of a strawberry rot, 258; **Fragariæ**, 113, 260
Sphæronema fimbriatum, 106
Sphæropsis, Malorum, 109, 113, 264
Sphærotheca pannosa var. Rosæ, 113

Spongospora subterranea, 293
Spore variation, in Neopeckia coulteri, 357
Spray injury, 51
STAKMAN, E. C., and PIEMEISEL, F. J. Biologic forms of Puccinia graminis on wild grasses and cereals. A preliminary report (abstract). 99
STANFORD, E. E., see FULTON, H. R.
Stem rot, of potato, 106
STEVENS, F. L., A convenient little-known method of making micro-mounts of fungi (abstract), 112; (note), 367; and PETERSON, ALVAH. Some new strawberry fungi (abstract), 113; (article), 258–267
STEVENS, NEIL E., A method for studying the humidity relations of fungi in culture, 428–432; Recovery of a chestnut tree from a lightning stroke, 204
STEWART, V. B., Dusting nursery stock (abstract), 113; The leaf blotch disease of horse-chestnut, 5–19; and LEONARD, M. D., Further studies in the rôle of insects in the dissemination of fire-blight bacteria, 152–158
Stinking smut, of wheat, 21
Stippen, of apple, 51
Stippenflecken, of apple, 51
STONE, R. E., Studies in the life histories of some species of Septoria occurring on Ribes, 419–427; The perfect stage of Septoria Ribis (abstract), 109; see HOWITT, J. E.
Storage rots, of sweet potato, 106; temperature relations of fungi causing, 428
Strawberry, fungi, 258; rot of, 113, 258
Sulfur paste, spray for peaches, 206
Sweet potato, Rhizoctonia on, 305; Sclerotium rolfsii on, 305; storage rot of, 106
Synchytrium (Chrysophlyctis) endobioticum, 293

TANAKA, TYÔZABURÔ, The Journal of Plant Protection (review), 196
Tarnished plant bug, carrier of fire blight bacteria, 156
TAUBENHAUS, J. J., A wilt disease of the columbine (abstract), 101; (article), 254–257; Studies in the control of storage rots of the sweet potato (abstract), 106
Thielavia basicola, 104, 117, 167
THOMAS, H. E., see CRABILL, C. H.
Thuja plicata, 360
Tilletia, foetens, 21; Tritici, 24
Timothy, leaf smut of, 103
TISDALE, W. H., A new species of Melanconium parasitic on the tomato (abstract), 116; (article), 390–394; Relation of soil temperature to infection of flax by Fusarium Lini, 412
Tobacco, bacterial wilt or brown rot on, 108; black rot, 167; disease resistance in, 117; mosaic disease of, 328; root-rot, 167
Tomato, blossom-end-rot of, 364; brown rot or bacterial wilt on, 108; diseases of, 104; leaf roll in, 447; Melanconium parasitic on, 116, 390; mosaic disease of, 328; parasitic saccharomycete of the, 395; point-rot of, 364; Phytophthora infestans on, 284, 447; troublesome disease of winter, 162
Trichoderma koeningi, 160
Trichothecium, 241
Trifolium, hybridum, 104; pratense, 104
Triticum, compactum, 24, 97; durum, 97; polonicum, 97; spelta, 97; vulgare, 21, 97
Tropics, phytopathological work in the, 381
Tuber rot, of potato, 106, 321
Tulips, Dutch bulb disease of, 96

Uromyces, alhaginis, 195; Junci, 99
Urtica urens, 272
Ustilago, hordei, 98; nuda, 98; shiraiana, 353; striæformis, 103

Valsa leucostoma, 112
VAUGHAN, R. E., The development of Mycosphærella pinodes in pure culture (abstract), 103
Venturia inæqualis, 118
Verononia glauca, 64
Viburnum, 109
Vitis labrusca, 109

WALTON, R. C., and BABCOCK, D. C., The parasitism of Valsa leucostoma (abstract), 112; see GOSSARD, H. A.
WEIR, JAMES R., Keithia thujina, the cause of a serious leaf disease of the western red cedar, 360–363, Phacidium infestans on western conifers, 413; Pinus ponderosa and P. jeffreyi, hosts for Razoumofskya Americana, 414; and HUBERT, ERNEST E., A successful inoculation of Abies lasiocarpa with Pucciniastrum pustulatum, 373; Inoculation experiments with Peridermium montanum, 68–70; Successful inoculations of Larix occidentalis and Larix europea with Melampsora bigelowii, 372
WERKENTHIN, FREDERICK C., Fungous flora of Texas soils, 241–253
Wheat, stinking smut of, 21
Wheat-grass, bacterial disease of, 98, 341; yellow gum disease of western, 342
WHETZEL, H. H., and ROSENBAUM, J., The Phytophthora rot of apples 89–90
White fir, white rust on, 369
White flies, as carriers of a Melanconium on tomato, 394
White pickle, disease of cucumber, 105, 143
White pine, blister rust, in Ontario, 182; Cronartium ribicola on, 114, 182; tip burn, 116
White spot, of alfalfa, 91
WILLIS, MINA A., A root disease of prunes, 368
Wilt disease, of columbine, 101, 254; cucumbers, 105; potato, 321
Withertip, of citrus trees, 44, 96
WOLF, FREDERICK A., Dissemination of bur clover leaf spot, 301; Neocosmospora vasinfecta Erw. Sm. on potato and adzuki bean, 301; Sclerotium rolfsii Sacc. on citrus, 302

Yellow gum disease of, western wheat-grass, 342

Zygorrhynchus vuilleminii, 242

ERRATA FOR VOLUME VI

Plates III and IV legends, for Laestadia read Guignardia.
Page 225 footnote 3, for Uredinae read Uredineae.
Page 229 lines 6 and 10, for uredenial read uredinial.
Page 232 line 2, for suggests read suggest.
Page 237 line 13, for positively read positive.
Page 239 line 4 (from bottom) for Cronartim read Cronartium.
Page 261 line 1 of table, for perithecia read pycnidia.
Page 266, in legends for figures 10, 11, 15, 16, and 17, for perithecium read pycnidium.
Page 281, interchange legends for figures 2 and 3.
Page 285 footnote 8, omit. See Phytopath. **6**: 447.
Page 311 line 3, omit (Abstract).
Page 314 line 39, for 33–1 read 33: 1.
Page 316 line 10, for extract read Abstract.
Page 317 line 42, insert (Abstract.) after fungi.
Page 376 line 39, for 54 read 45.
Page 383 line 14, for waster read waste.
Page 417 line 15, omit 1 following June.
Page 418 line 10, for Sphæyonemella read Sphæronæmella.
Page 432 reference 14, for 44 read 4.